

[Sign in](#)[Register](#)

- [Account](#)
 - [Profile](#)
 - [Newsletter](#)
 - [Favorites](#)
 - [Activity](#)
 - [Recent Activity](#)
 - [Email notifications](#)
 - [Display settings](#)
 - [PM](#)
 - [My news](#)
 - [Add news filter](#)
- [Follow us](#)
 - [Facebook](#)
 - [Twitter](#)
 - [Breaking news](#)
 - [Health news](#)
 - [Biology news](#)
 - [Technology and Electronics](#)
 - [Space news](#)
 - [Physics and Nanotech](#)
 - [Google](#)
 - [Google toolbar button](#)
 - [Google IG module](#)
 - [Chrome extension](#)
 - [Digg](#)
 - [Newsletter](#)
 -
 - [RSS news feeds](#)
 - [Latest news](#)
 - [Spotlight news](#)
 - [Feature and Editorials](#)
 - [More](#)
- [Mobile Apps](#)
 - [iPhone apps](#)
 - [PhysOrg News Lite](#)
 - [PhysOrg News Full](#)
 - [Medical & Health News](#)
 - [iPad apps](#)
 - [PhysOrg News Lite](#)
 - [PhysOrg News HD](#)
 - [Android apps](#)
 - [PhysOrg Science News Lite](#)
 - [PhysOrg Science News](#)
 - [Medical & Health News \(free\)](#)
 - [Medical & Health News](#)
 - [BlackBerry apps](#)

- [PhysOrg.com News](#)
- [Amazon Kindle](#)
 - [Science and Research News](#)
 - [Space and Earth News](#)
 - [Physics and Nanotechnology](#)
 - [Health and Medicine News](#)
 - [Technology and Electronics](#)
 - [Biology and Chemistry News](#)
- [Text-to-Speech Podcasts](#)
 - [iTunes](#)
 - [More](#)
- [Quick nav](#)
 - [Feature stories](#)
 - [Weblog & Reports](#)
 - [Archive](#)
 - [Video](#)
 - [Podcasts](#)
- [Help](#)
 - [Suggest a story idea](#)
 - [Send feedback](#)
 - [PhysOrg FAQ](#)
 - [Sponsored account](#)
 - [About us](#)
 - [More](#)
- [Search](#)
 -
 - [advanced search](#)

[Science and technology news](#)

- [Home](#)
- [Nanotechnology](#)
- [Physics](#)
- [Space & Earth](#)
- [Electronics](#)
- [Technology](#)
- [Chemistry](#)
- [Biology](#)
- [Medicine & Health](#)
- [Other Sciences](#)

- [Biochemistry](#)
- [Polymers](#)
- [Analytical Chemistry](#)
- [Materials Science](#)
- [Other](#)

- Find more articles on [glaser prugger](#)

Scientists study how to improve pesticide efficiency

[February 29, 2012](#)

In 2007, a controversial pesticide was approved by the Food and Drug Administration for use on fruit and vegetable crops, mainly in California and Florida. Farm workers and scientists protested the approval of the pesticide because its active ingredient, methyl iodide, is a known carcinogen. Now, MU researchers are studying the molecular structure of the pesticide to determine if the product could be made more efficient and safer for those living near, and working in, treated fields.

[Ads by Google](#)

- [Honda's Innovative Films](#) - Honda shares its belief in the Power of Dreams. Watch here. - www.honda.com

- Methyl iodide is the [active ingredient](#) used in a pesticide known commercially as Midas. Midas is a mix of methyl iodide and chloropicrin, a [rat poison](#), and is used primarily on the fields that will grow strawberries, tomatoes and bell peppers. In a new study published this month in the [Journal of Agricultural and Food Chemistry](#), MU researchers studied why the manufacturer blended the chemicals to determine if a different chemical combination might be possible.

- "We found that the two chemicals, methyl iodide and chloropicrin, are mixed to slow the release of methyl iodide and increase its effectiveness," said Rainer Glaser, professor of chemistry in the MU College of Arts & Science. "However, we believe that a different chemical mix could further slow the release of methyl iodide and allow farmers to use less of the pesticide, which would make the area safer for workers and the public."

Methyl iodide is a fumigant, meaning that it fills an air space with gas, suffocating and poisoning the pests within the airspace. Farm workers dressed in protective suits apply Midas in liquid form to fields 10 to 14 days prior to planting and cover future crop rows with plastic sheeting. During that time period, the pesticide is released in gas form, suffocating pests in the top layer of the soil. However, much of the fumigant is useless as it is lost into the atmosphere upon application and during the release period due to ventilation of the area. All of the pesticide is gone before the area is planted.

"Farmers use 200 to 300 pounds of Midas per acre and nearly 80 percent of the pesticide is not effective in killing pests," said Kaitlan Prugger, a co-author and undergraduate researcher. "Gas lost to the atmosphere could pose risks to farm workers and nearby communities. Even a small improvement in effectiveness achieved through a change in the chemical blend could greatly reduce the amount of pesticide used per acre."

The use of methyl iodide is a consequence of the Montreal Protocol on Substances that Deplete the Ozone Layer. Prior to the protocol, farmers used methyl bromide to fumigate strawberry and tomato fields. However, methyl bromide was found to deplete the ozone and its use was phased out completely in 2005.

Provided by University of Missouri-Columbia ([news](#) : [web](#))



Do not buy until you read this 4 week study on the results of using the E-Cigarette to quit smoking.



Advertisement
Exclusive short video reveals the secret of how to learn any language in just 10 days!



MIT scientists have uncovered the shocking solution to erasing wrinkles...



Scientists in Cambridge have discovered a revolutionary new muscle builder...

[view popular](#) [send feedback to editors](#)

5 /5 (1 vote)

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Please [register](#) or [sign in](#) to add a comment. Registration is free, and takes less than a minute. [Read more](#)

Sign in with

Email

Password

Sign In

Forgot your password? [Click here](#) to reset it.

Notify me via email of follow-up comments posted here



Rank

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

5 / 5 (1 vote)

Tags

[journal of agricultural and food chemistry](#), [methyl iodide](#), [food and drug administration](#), [vegetable crops](#), [rat poison](#), [carcinogen](#), [active ingredient](#), [molecular structure](#), [strawberries](#), [farm workers](#), [chloropicrin](#)

Related Stories

- [Alternatives to ozone-depleting pesticide studied](#) May 07, 2008 | not rated yet | 0
- [New 'scrubber' speeds removal of powerful anthrax clean-up agent](#) Jul 14, 2008 | not rated yet | 0
- [Caution urged in storing methyl bromide-treated produce](#) Aug 01, 2011 | not rated yet | 0
- [Alternatives eyed for methyl bromide](#) Mar 16, 2011 | not rated yet | 0
- [Parasite-resistant peppers green alternatives to chemical pesticides](#) Nov 12, 2008 | not rated yet | 0
- [Featured](#)
- [Last comments](#)
- [Popular](#)
- [Most shared](#)
- [Partners](#)
- [Why we've got the cosmological constant all wrong](#) Mar 05, 2012 | 4.7 / 5 (32) | 84
- [All-carbon-nanotube transistor can be crumpled like a piece of paper](#) Mar 02, 2012 | 4.7 / 5 (19) | 3
- [Tube-shaped solar cells could be woven into clothing](#) Mar 01, 2012 | 4.3 / 5 (8) | 8
- [Rational design can improve hydrogen fuel cell efficiency](#) Feb 29, 2012 | 4.4 / 5 (11) | 0
- [Your brain on 'shrooms: fMRI elucidates neural correlates of psilocybin psychedelic state](#) Feb 29, 2012 | 4.9 / 5 (32) | 39

[more news](#)

Relevant PhysicsForums posts

- [Hydrogen peroxide production in water electrolysis](#)
2 hours ago
- [charge on colloidal particles](#)
10 hours ago
- [Le Chatelier's Principle](#)
20 hours ago
- [Dissociation degree of polyprotic acids](#)
Mar 06, 2012
- [Recommend texts for...](#)
Mar 06, 2012
- [exchange current density](#)
Mar 06, 2012
- More from [Physics Forums - Chemistry](#)

More news stories

[A foot in the door to genetic information](#)

In the cell nucleus, DNA wraps around what are called histone proteins, forming regularly spaced spherical bodies called nucleosomes. Thus, large portions of the genetic material are inaccessible to the gene reading machinery. ...

[Chemistry](#) / [Biochemistry](#)

4 hours ago | 3 / 5 (1) | 0 |

[Mobile phone scanner detects harmful bacteria](#)



(PhysOrg.com) -- A mobile phone that could detect whether leftovers in your fridge are safe to eat could be heading to an app store near you. A device has been developed that attaches to mobiles and can detect ...

[Chemistry](#) / [Analytical Chemistry](#)

6 hours ago | 2 / 5 (1) | 1 |

[Crystal structure of archael chromatin clarified in new study](#)

Researchers at the RIKEN SPring-8 Center in Harima, Japan, have clarified for the first time how chromatin in archaea, one of the three evolutionary branches of organisms in nature, binds to DNA. The results offer valuable ...

[Chemistry](#) / [Biochemistry](#)

5 hours ago | not rated yet | 0 |


[NMR sheds new light on polymorphic forms in pharmaceutical compounds](#)

Scientists at the University of Warwick have used state-of-the-art nuclear magnetic resonance (NMR) techniques to shed new light on how pharmaceutical molecules pack together in the solid state.

[Chemistry](#) / [Analytical Chemistry](#)

3 hours ago | not rated yet | 0

[Responding to the radiation threat](#)



Berkeley Lab researchers are developing a promising treatment for safely decontaminating humans exposed to radioactive actinides from a major radiation exposure event, such as a nuclear reactor accident or ...

[Chemistry](#) / [Materials Science](#)

22 hours ago | 5 / 5 (5) | 2 |

[Apple unveils new iPad with sharper screen](#)



Apple is revealing a new iPad model. New features include a sharper screen and a faster processor.

[New transplant method may allow kidney recipients to live life free of anti-rejection medication](#)

New ongoing research published today in the journal Science Translational Medicine suggests organ transplant recipients may not require anti-rejection medication in the future thanks to the power of stem cells, which may pr ...

[Apple lets movies into iCloud, upgrades Apple TV](#)

(AP) -- Apple is going to start letting users store movies on its iCloud remote storage service, allowing them to access their movies from PCs, iPhones and other Apple devices through the Internet.

[Long-term cardiac effects for childhood cancer survivors](#)



(HealthDay) -- Regardless of exposure to cardiotoxic cancer therapies, survivors of childhood cancers display cardiovascular abnormalities and have markers of increased systemic inflammation and atherosclerotic ...

[Double gloving prevents exposure to pathogens in OR](#)



(HealthDay) -- Double gloving during surgery reduces the risk for transmission of bloodborne pathogens to medical personnel as well as minimizing the transfer of health care-associated infections to patients, ...

[Shining light in the ears may alleviate SAD symptoms](#)



(Medical Xpress) -- Millions of people experience depression and lower levels of energy in the winter due to seasonal-affective disorder (SAD), or the “winter blues.” Since the disorder is thought ...

• [top](#)

- [Home](#)
- [Medical Xpress](#)
- [Search](#)

- [Help](#)
- [What's new](#)
- [About us](#)
- [Contact / FAQ](#)
- [Partners](#)

- [PhysOrg Account](#)
- [Sponsored Account](#)
- [Newsletter](#)
- [RSS feeds](#)

- [iPhone iPad Apps](#)
- [Blackberry App](#)
- [Android App&Widget](#)
- [Amazon Kindle](#)
- [PDA version](#)

- [Feature Stories](#)
- [Weblog & Reports](#)
- [Podcasts](#)
- [Archive](#)

- [Facebook](#)
- [Twitter](#)